

To: Braun, Richard[Braun.Richard@epa.gov]
Cc: Sandoval, Joni[Sandoval.Joni@epa.gov]; Way, Steven[way.steven@epa.gov]
From: Marilyn Smith
Sent: Tue 9/22/2015 4:31:59 PM
Subject: RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - Segregable Portion

Thank you.

From: Braun, Richard [mailto:Braun.Richard@epa.gov]
Sent: Tuesday, September 22, 2015 11:21 AM
To: Marilyn Smith <m.smith@erllc.com>
Cc: Sandoval, Joni <Sandoval.Joni@epa.gov>; Way, Steven <way.steven@epa.gov>
Subject: RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - Segregable Portion

Marilyn,

I agree with your assessment. The Operation and Maintenance phase of the subcontract is service work and should be covered by SCA rather than DBA. Thanks.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

From: Marilyn Smith [mailto:m.smith@erllc.com]
Sent: Tuesday, September 22, 2015 9:54 AM
To: Braun, Richard
Cc: Sandoval, Joni; Way, Steven
Subject: RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant -

Segregable Portion

Richard:

ER would propose that the Operation and Maintenance phase of this system could be considered segregable and fall under SCA rather than DBA.

Thank you,

Marilyn

From: Braun, Richard [<mailto:Braun.Richard@epa.gov>]

Sent: Tuesday, September 22, 2015 10:06 AM

To: Marilyn Smith <m.smith@erllc.com>

Cc: Sandoval, Joni <Sandoval.Joni@epa.gov>; Way, Steven <way.steven@epa.gov>; Ostrander, David <Ostrander.David@epa.gov>; Williams, Laura <williams.laura@epa.gov>; Mills, Bethany <Mills.Bethany@epa.gov>; Buhl, Rick <Buhl.Rick@epa.gov>

Subject: RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - 1 of multiple emails

Marilyn,

I concur with the proposed subcontract to Alexco Environmental Group (US) Inc. in the amount **CBI/Ex. 4** Please note that the work covered by the subcontract is considered construction; therefore, David Bacon Act applies, including General Decision No. C0150022. I intend to add the General Decision to the task order in the next mod.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

From: Marilyn Smith [<mailto:m.smith@erllc.com>]
Sent: Monday, September 21, 2015 4:58 PM
To: Braun, Richard
Cc: Sandoval, Joni; Way, Steven
Subject: RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - 1 of multiple emails

Richard:

ER is requesting consent for the interim water treatment plan at the Gold King Mine Release site (TO 77) CBI/Ex. 4 for Alexco Environmental Group (US) Inc.

Attached please find the required supporting back-up.

�. Memo of Explanation

�. Att. A. – Bid Analysis

�. Att. B. – Bid Data Received (*this is being sent separately due to the volume of files*)

�. Att. C. – Bid Data Issued via RFP

�. Att. D. – Excluded Parties Statement with Executed Reps & Certs

�. Att. E. – Purchase Order Request

Please feel free to contact me should you have any questions.

Thanks,

Marilyn

From: Braun, Richard [<mailto:Braun.Richard@epa.gov>]
Sent: Monday, September 21, 2015 11:02 AM
To: Marilyn Smith <m.smith@erllc.com>
Cc: Ostrander, David <Ostrander.David@epa.gov>; Mills, Bethany <Mills.Bethany@epa.gov>;
Way, Steven <way.steven@epa.gov>; Buhl, Rick <Buhl.Rick@epa.gov>
Subject: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant

Marilyn,

Please provide the package for subcontract consent for my review and concurrence. We have decided to move forward with the interim water treatment plant.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss,

disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.